



## Crank Operated Drop Screen Aftercare Information Sheet

**Congratulations on your new crank operated drop screens**

**You will enjoy your screens for years to come**

We have put together some care instructions for you to help keep your screens just like new.

### *General Care Instructions for your clear PVC:*

- Clean regularly with hot or warm soapy water and a soft brush, or lightly sponge down with warm water.
- Allow to dry thoroughly before rolling up.
- Vacuuming regularly using low suction to remove loose dirt can also help before cleaning.
- Plexis is available to purchase for polishing your screens, please ask us if you would like to find out more.

### *General Care Instructions for your structural PVC surrounds:*

- A regular wipe over with warm soapy water followed by rinsing with cold water will remove normal soiling.
- Where a build up has occurred, the surface should be cleaned with a soft brush and mild, non abrasive detergent, then rinsed thoroughly.

### ***Spot Cleaning/Special Treatments***

#### *Clear PVC*

- Treat stains/marks as soon as possible. Test on inconspicuous area first before proceeding. Mildew may be removed by wiping with a cold solution of sodium hypochlorite having 4% chlorine, in the proportion of 1 part to 4 part water. Rinse thoroughly with cold water. Grease spots may be removed carefully by rubbing lightly with a soft cloth and some ethanol (ethyl alcohol).

#### *PVC surrounds*

- Mildew may be removed by wiping with a cold solution of sodium hypochlorite having 4% chlorine, in the proportion of 1 part in 4 part water. Rinse thoroughly with cold water.

### ***DONT'S***

- Do not use a stiff brush as this will cause scratching.
- Do not rub vigorously.
- Do not use abrasives cleaners.
- Do not use harsh detergents.
- Do not use any solvents such as petrol, acetone or similar as it will attack the PVC.